

भारतीय प्रौद्योगिकी संस्थान गुवाहाटी

गुवाहाटी-781039, असम

Indian Institute of Technology Guwahati Guwahati-781039, Assam

औद्योगिक सहभागिता तथा विशेष पहल कार्यालय Office of the Industrial Interactions and Special Initiatives

Applications are invited for an **Offline Interview** for Coordinator in the project entitled **"Industrial Energy Assessments"** at the School of Energy Sciences & Engineering, IIT Guwahati.

Date: June 12, 2024 Time: 11:00 AM onwards

Mode: Offline

Venue: Department of Chemical Engineering, IIT Guwahati

SI No	Project Staff Designation	of	Pay Scale (₹)	HRA	Duration of Appointment	Qualifications
1.	Coordinator	1	12000	16% of HRA	89 days	Bachelors in Engineering; At least six months working experience in a project at a centrally funded technical institute (CFTI)

Accommodation facility may be available in the campus subject to availability and payment of appropriate charges. HRA as per prevailing norms would be provided.

How to apply and selection process: Eligible Candidates have to email their detailed resume including all educational qualifications, experience, contact address phone no., e-mail etc on or before 03:00 PM of June 11, 2024 to the Principal Investigator Dr. Prakash Kotecha, Chemical Engineering at pkotecha@iitg.ac.in. Only those candidates who satisfy the requirements and fill the form at https://forms.office.com/r/imFbb7nac3 will be shortlisted for the interview.

Shortlisted candidates will be informed via e-mail. No TA/DA will be paid to the candidates for appearing in the test and/or interview.

The candidates who are already employed under Central/State Govt./ PSU/ Autonomous Bodies will have to submit a No-objection Certificate (NOC) from the concerned employer in advance or at the time of interview failing which the candidate will not be allowed to appear for an interview.

For any clarification, contact:

Principal Investigator: Dr. Prakash Kotecha

e-mail: pkotecha@iitg.ac.in

Project No: xCEEISPIITM00851xPRK101 AR (II&SI)

Advt. No: IITG/II&SI/Project Staff Rectt-2024/40